

**VR RootBloc 10**

**SECTION 1 PRODUCT & COMPANY IDENTIFICATION**

<b>Product Name</b>	VR RootBloc 10	<b>Company</b>	Tremco Incorporated
		UNITED STATES	3735 Green Road Beachwood, Ohio, 44122 T: 1.800.562.2728 (8:30 - 5:00 EST)
<b>Emergency Phone</b>	1.800.562.2728 (8:30 - 5:00 EST) After Hours: 1.800.424.9300	CANADA	50 Beth Neelson Drive Toronto, Ontario, M4H 1M6 T: 1.800.668.9879 (8:30 - 5:00 EST)

**SECTION 2 HAZARDS IDENTIFICATION**

**Emergency Overview**

No serious effects anticipated under normal conditions of use.

**Acute Potential Health Effects**

**Routes of Entry**

**Inhalation:**  
Immediately remove victim from area to fresh air. Seek medical attention.

**Eyes:**  
Not applicable under normal conditions of use.

**Ingestion:**  
Not applicable under normal conditions of use.

**Skin:**  
Not applicable under normal conditions of use.

**AGGRAVATED MEDICAL CONDITIONS**

There are no known medical conditions aggravated by exposure to this product.

**CHRONIC HEALTH EFFECTS**

No known effects anticipated.

**Eye contact:**  
Immediately flush eyes with plenty of cool water for at least 15minutes.

**Ingestion:**  
Not applicable under normal conditions of use.

**Skin contact:**  
If contact by molten material, cool immediately with cool water.

**SECTION 5 FIRE FIGHTING MEASURES**

**Flash point:** Not available.

**Method:** Not available.

**Autoignition:** > 660 °F (> 348 °C).

**Lower explosion limit:** Not available.

**Upper explosion limit:** Not available.

**Extinguishing media:**  
Use water spray, dry chemical, foam or carbon dioxide.

**Hazardous combustion:** Not available.

**SECTION 3 PRODUCT COMPOSITION**

This is not a hazardous material as defined in the OSHA, L.A.R.C. Monographs and National Toxicology Program.

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

Not available.

**SECTION 4 FIRST AID MEASURES**

Most problems will result from exposure to molten materials.

**Inhalation:**  
Immediately remove victim from area to fresh air.

**SECTION 7 HANDLING AND STORAGE**

Store under normal warehouse conditions with a fire sprinkler system in a manner that they are not exposed to heat and sources of ignition.

# MATERIAL SAFETY DATA SHEET

## VR RootBloc 10

### SECTION 8 EXPOSURE CONTROLS

Respiratory protection:  
Not required under normal conditions of use.  
Hand protection:  
Protect hands with impervious gloves.  
Eye protection:  
Wear appropriate eye protection.  
Exposure Limits:  
No known components with exposure limits.

### SECTION 9 PHYSICAL & CHEMICAL PROPERTIES

Form: Reinforced plastic.  
Color: Translucent yellow.  
Odor: Odorless.  
PH: Not available.  
Vapour Pressure: Not available.  
Vapor Density: Not available.  
Melting Point: Not available.  
Freezing Point: Not available.  
Boiling Point: Not available.  
Water Solubility: Insoluble.  
Specific Gravity: 0.95 g/cm<sup>3</sup>  
Volatile Weight: 0

### SECTION 10 REACTIVITY / STABILITY

Substances to avoid: Not Applicable.  
Stability: Stable.  
Hazardous polymerization: Will not Occur.

### SECTION 11 TOXICOLOGICAL INFORMATION

Not available.

### SECTION 12 ECOLOGICAL INFORMATION

Not available.

### SECTION 13 DISPOSAL CONSIDERATIONS

Dispose of in compliance with state and local regulation.

### SECTION 14 TRANSPORTATION / SHIPPING DATA

Not available.

### SECTION 15 REGULATORY INFORMATION

Not available.

### SECTION 16 OTHER INFORMATION

#### HMIS Rating:

Health	N/A
Flammability	N/A
Reactivity	N/A
PPE	

0 = Minimum  
1 = Slight  
2 = Moderate  
3 = Serious  
4 = Severe

#### Legend

CERCLA: Comprehensive Emergency Response, Compensation and Liability Act  
HMIS: Hazardous Materials Identification System  
IARC: International Agency for Research on Cancer  
OSHA: Occupational Safety and Health Administration  
NTP: National Toxicology Program  
SARA: Superfund Amendment Reauthorization Act  
TSCA: Toxic Substance Control Act

**SECTION 1 PRODUCT & COMPANY IDENTIFICATION**

<b>Product Name</b>	VR RootBloc 40	<b>Company</b>	Tremco Incorporated
		<b>UNITED STATES</b>	3735 Green Road Beachwood, Ohio, 44122 T: 1.800.562.2728 (8:30 - 5:00 EST)
<b>Emergency Phone</b>	1.800.562.2728 (8:30 - 5:00 EST) After Hours: 1.800.424.9300	<b>CANADA</b>	50 Beth Neelson Drive Toronto, Ontario, M4H 1M6 T: 1.800.668.9879 (8:30 - 5:00 EST)

**SECTION 2 HAZARDS IDENTIFICATION**

**Emergency Overview**

No serious effects anticipated under normal conditions of use.

**Acute Potential Health Effects**

**Routes of Entry**

**Inhalation:**

Immediately remove victim from area to fresh air. Seek medical attention.

**Eyes:**

Not applicable under normal conditions of use.

**Ingestion:**

Not applicable under normal conditions of use.

**Skin:**

Not applicable under normal conditions of use.

**AGGRAVATED MEDICAL CONDITIONS**

There are no known medical conditions aggravated by exposure to this product.

**CHRONIC HEALTH EFFECTS**

No known effects anticipated.

**Eye contact:**

Immediately flush eyes with plenty of cool water for at least 15minutes.

**Ingestion:**

Not applicable under normal conditions of use.

**Skin contact:**

If contact by molten material, cool immediately with cool water.

**SECTION 5 FIRE FIGHTING MEASURES**

**Flash point:**

Not available.

**Method:**

Not available.

**Autoignition:**

> 660 °F (> 348 °C).

**Lower explosion limit:**

Not available.

**Upper explosion limit:**

Not available.

**Extinguishing media:**

Use water spray or carbon dioxide.

**Hazardous combustion:**

Not available.

**SECTION 3 PRODUCT COMPOSITION**

This is not a hazardous material as defined in the OSHA, L.A.R.C. Monographs and National Toxicology Program.

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

Not available.

**SECTION 4 FIRST AID MEASURES**

Most problems will result from exposure to molten materials.

**Inhalation:**

Immediately remove victim from area to fresh air.

**SECTION 7 HANDLING AND STORAGE**

Store under normal warehouse conditions with a fire sprinkler system in a manner that they are not exposed to heat and sources of ignition.

# MATERIAL SAFETY DATA SHEET

## VR RootBloc 40

### SECTION 8 EXPOSURE CONTROLS

Hand protection:  
Wear protective gloves during thermal processing.  
Eye protection:  
Wear appropriate eye protection.  
Other Protective Clothing:  
Wear protective sleeves when processing material at elevated temperatures to minimize the possibility of thermal burns.

### SECTION 9 PHYSICAL & CHEMICAL PROPERTIES

Form: Plastic film.  
Color: Opaque.  
Odor: Odorless.  
PH: Not available.  
Vapour Pressure: Not available.  
Vapor Density: Not available.  
Melting Point: Not available.  
Freezing Point: Not available.  
Boiling Point: Not available.  
Water Solubility: Insoluble.  
Specific Gravity: Not available.  
Volatile Weight: 0

### SECTION 10 REACTIVITY / STABILITY

Substances to avoid: Not Applicable.  
Stability: Stable.  
Hazardous polymerization: Will not Occur.

### SECTION 11 TOXICOLOGICAL INFORMATION

Not available.

### SECTION 12 ECOLOGICAL INFORMATION

Not available.

### SECTION 13 DISPOSAL CONSIDERATIONS

Dispose of in compliance with state and local regulation.

### SECTION 14 TRANSPORTATION / SHIPPING DATA

Not available.

### SECTION 15 REGULATORY INFORMATION

Not available.

### SECTION 16 OTHER INFORMATION

#### HMIS Rating:

Health	N/A
Flammability	N/A
Reactivity	N/A
PPE	

0 = Minimum  
1 = Slight  
2 = Moderate  
3 = Serious  
4 = Severe

#### Legend

CERCLA: Comprehensive Emergency Response, Compensation and Liability Act  
HMIS: Hazardous Materials Identification System  
IARC: International Agency for Research on Cancer  
OSHA: Occupational Safety and Health Administration  
NTP: National Toxicology Program  
SARA: Superfund Amendment Reauthorization Act  
TSCA: Toxic Substance Control Act

**SECTION 1 PRODUCT & COMPANY IDENTIFICATION**

<b>Product Name</b>	VR PolyMat	<b>Company</b>	Tremco Incorporated
<b>Emergency Phone</b>	1.800.562.2728 (8:30 - 5:00 EST) After Hours: 1.800.424.9300	<b>UNITED STATES</b>	3735 Green Road Beachwood, Ohio, 44122 T: 1.800.562.2728 (8:30 - 5:00 EST)
		<b>CANADA</b>	50 Beth Neelson Drive Toronto, Ontario, M4H 1M6 T: 1.800.668.9879 (8:30 - 5:00 EST)

**SECTION 2 HAZARDS IDENTIFICATION**

**Emergency Overview**

No need for first aid is anticipated.

**Acute Potential Health Effects**

**Routes of Entry**

Inhalation:

Not applicable under normal conditions of use.

Eyes:

Not applicable under normal conditions of use.

Ingestion:

Not applicable under normal conditions of use.

Skin:

Not applicable under normal conditions of use.

**AGGRAVATED MEDICAL CONDITIONS**

There are no known medical conditions aggravated by exposure to this product.

**CHRONIC HEALTH EFFECTS**

No known effects anticipated.

Eye contact:

No need for first aid is anticipated.

Eye contact:

No need for first aid is anticipated.

Ingestion:

No need for first aid is anticipated.

Skin contact:

No need for first aid is anticipated.

**SECTION 5 FIRE FIGHTING MEASURES**

Flash point:

Not available.

Method:

Not available.

Autoignition:

Not available.

Lower explosion limit:

Not available.

Upper explosion limit:

Not available.

Extinguishing media:

Not available.

Hazardous combustion:

Not available.

**SECTION 3 PRODUCT COMPOSITION**

Non toxic. This product is not listed by OSHA, NTP, or IARC as a carcinogen.

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

Not available.

**SECTION 4 FIRST AID MEASURES**

There are no known physical or health hazards associated with this product, as defined in the code of Federal Regulations, Title 29, and Part 1910, 1200.

**SECTION 7 HANDLING AND STORAGE**

Store under normal warehouse conditions with a fire sprinkler system in a manner that they are not exposed to heat and sources of ignition.

# MATERIAL SAFETY DATA SHEET

## VR PolyMat



### SECTION 8 EXPOSURE CONTROLS

Respiratory protection:  
Not required under normal conditions of use.  
Hand protection:  
Not required under normal conditions of use.  
Eye protection:  
Not required under normal conditions of use.  
Skin protection:  
Not required under normal conditions of use.

### SECTION 9 PHYSICAL & CHEMICAL PROPERTIES

Form: Solid polyester.  
Color: Green.  
Odor: Not available.  
PH: Not available.  
Vapour Pressure: Not available.  
Vapor Density: Not available.  
Melting Point: Not available.  
Freezing Point: Not available.  
Boiling Point: Not available.  
Water Solubility: Insoluble.  
Specific Gravity: Not available.  
Volatile Weight: Not available.

### SECTION 10 REACTIVITY / STABILITY

Substances to avoid: None known.  
Stability: Stable.  
Hazardous polymerization: Will not Occur.

### SECTION 11 TOXICOLOGICAL INFORMATION

No health effects are expected.

### SECTION 12 ECOLOGICAL INFORMATION

Not available.

### SECTION 13 DISPOSAL CONSIDERATIONS

This product is not classified as hazardous waste under the Resource Conservation and Recovery Act and, unless prohibited by state or local regulation, can be disposed of in a municipal landfill or incinerated.

### SECTION 14 TRANSPORTATION / SHIPPING DATA

These fibers are not classified by DOT as a hazardous material.

### SECTION 15 REGULATORY INFORMATION

Not available.

### SECTION 16 OTHER INFORMATION

#### HMIS Rating:

Health	N/A
Flammability	N/A
Reactivity	N/A
PPE	

0 = Minimum  
1 = Slight  
2 = Moderate  
3 = Serious  
4 = Severe

#### Legend

CERCLA: Comprehensive Emergency Response, Compensation and Liability Act  
DOT - Department of Transportation  
HMIS: Hazardous Materials Identification System  
OSHA: Occupational Safety and Health Administration  
SARA: Superfund Amendment Reauthorization Act  
TSCA - Toxic Substances Control Act  
WHMIS - Workplace Hazardous Materials Information System

# VR Filter Fabric

## SECTION 1 PRODUCT & COMPANY IDENTIFICATION

<b>Product Name</b>	VR Filter Fabric	<b>Company</b>	Tremco Incorporated
<b>Emergency Phone</b>	1.800.562.2728 (8:30 - 5:00 EST) After Hours: 1.800.424.9300	<b>UNITED STATES</b>	3735 Green Road Beachwood, Ohio, 44122 T: 1.800.562.2728 (8:30 - 5:00 EST)
		<b>CANADA</b>	50 Beth Neelson Drive Toronto, Ontario, M4H 1M6 T: 1.800.668.9879 (8:30 - 5:00 EST)

## SECTION 2 HAZARDS IDENTIFICATION

### Emergency Overview

No serious effects anticipated under normal conditions of use.

### Acute Potential Health Effects

#### Routes of Entry

Inhalation:

Not applicable under normal conditions of use.

Eyes:

Not applicable under normal conditions of use.

Ingestion:

Not applicable under normal conditions of use.

Skin:

Not applicable under normal conditions of use.

### AGGRAVATED MEDICAL CONDITIONS

Pre-existing skin disorders may be aggravated by exposure.

### CHRONIC HEALTH EFFECTS

No known effects anticipated.

Eye contact:

No known applicable information.

Ingestion:

Not applicable under normal conditions of use.

Skin contact:

A very small percentage of the population may be allergic to one or more of the components that make up these products.

## SECTION 5 FIRE FIGHTING MEASURES

Flash point: > 650 °F (> 343 °C).

Method: Setckin.

Autoignition: > 650 °F (> 343 °C).

Lower explosion limit: Not available.

Upper explosion limit: Not available.

Extinguishing media:

This product is not expected to burn under normal conditions of use.

Hazardous combustion: Not available.

## SECTION 3 PRODUCT COMPOSITION

This is not a hazardous material as defined in the OSHA Hazard Communication Standard 29 CFR 1910.1200.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

If product is not contaminated, scoop into clean containers for use. If product is contaminated, scoop into containers and dispose appropriately.

## SECTION 4 FIRST AID MEASURES

No adverse health effects are expected from exposure to this product.

Inhalation

No known applicable information.

## SECTION 7 HANDLING AND STORAGE

Store under normal warehouse conditions with a fire sprinkler system in a manner that they are not exposed to heat and sources of ignition.

# MATERIAL SAFETY DATA SHEET

## VR Filter Fabric

### SECTION 8 EXPOSURE CONTROLS

Respiratory protection:  
Not required under normal conditions of use.  
Hand protection:  
Protect hands with impervious gloves.  
Eye protection:  
Wear appropriate eye protection.  
Exposure Limits:  
No known components with exposure limits.

### SECTION 9 PHYSICAL & CHEMICAL PROPERTIES

Form: Textured and soft fibers.  
Color: Various.  
Odor: Slight odor of spin finish.  
PH: 6.5 ± 1.0  
Vapour Pressure: Not available.  
Vapor Density: Not available.  
Melting Point: 320 °F (160 °C)  
Freezing Point: Not available.  
Boiling Point: Not available.  
Water Solubility: Negligible, below 1%.  
Specific Gravity: 0.91 g/cm<sup>3</sup>  
Volatile Weight: < 3 % (water).

### SECTION 10 REACTIVITY/STABILITY

Substances to avoid: Not Applicable.  
Stability: Not Applicable.  
Hazardous polymerization: Not Applicable.

### SECTION 11 TOXICOLOGICAL INFORMATION

The skin and eye irritation effects of the spin finish have been examined with no harmful effects.  
Not listed as a carcinogen by NTP. Not regulated as a carcinogen by OSHA. Not evaluated by IARC.

### SECTION 12 ECOLOGICAL INFORMATION

The fibers are not associated with any ecological problems.

### SECTION 13 DISPOSAL CONSIDERATIONS

Incineration in accordance with applicable regulations is the recommended disposal method.  
Mix waste with wood or paper waste aids to assure complete combustion.

### SECTION 14 TRANSPORTATION / SHIPPING DATA

This product does not belong to dangerous goods according to transport regulations.

### SECTION 15 REGULATORY INFORMATION

#### U.S. TSCA Status:

This product is considered to be an article by TSCA definition. All components are listed on the TSCA inventory.

- SARA 302/304 Components: This product is not an Extremely Hazardous Substance subject to reporting under 40 CFR 355.
- SARA 311/312 Hazards:  
NHH: Not a health hazard.  
NPH: Not a physical hazard.
- SARA 313 Components: This product does not contain any chemicals subject to reporting as a CERCLA Hazardous Substance under 40 CFR 302.4.
- OSHA Hazardous components: This is not a hazardous material as defined in the OSHA Hazard communication Standard 29 CFR 1910.1200.
- This product does not contain any chemicals subject to reporting as a CERCLA Hazardous Substance under 40 CFR 302.4.
- This product is not a hazardous waste as listed in 40 CFR 261.33. It does not exhibit any of the hazardous characteristics listed in 40 CFR 261, Subpart C.
- This product does not contain any chemicals known to cause cancer or reproductive toxicity.

### SECTION 16 OTHER INFORMATION

#### HMIS Rating:

Health	0
Flammability	1
Reactivity	0
PPE	

0 = Minimum  
1 = Slight  
2 = Moderate  
3 = Serious  
4 = Severe

#### Legend

CERCLA: Comprehensive Emergency Response, Compensation and Liability Act  
HMIS: Hazardous Materials Identification System  
IARC: International Agency for Research on Cancer  
OSHA: Occupational Safety and Health Administration  
NTP: National Toxicology Program  
SARA: Superfund Amendment Reauthorization Act  
TSCA: Toxic Substance Control Act



**VR EdgeGuard  
VR DrainGuard  
VR StackGuard**

**SECTION 1 PRODUCT & COMPANY IDENTIFICATION**

<b>Product Name</b>	VR EdgeGuard VR DrainGuard VR Stackguard	<b>Company</b>	Tremco Incorporated
<b>Emergency Phone</b>	1.800.562.2728 (8:30 - 5:00 EST) After Hours: 1.800.424.9300	<b>UNITED STATES</b>	3735 Green Road Beachwood, Ohio, 44122 T: 1.800.562.2728 (8:30 - 5:00 EST)
		<b>CANADA</b>	50 Beth Neelson Drive Toronto, Ontario, M4H 1M6 T: 1.800.668.9879 (8:30 - 5:00 EST)

**SECTION 2 HAZARDS IDENTIFICATION**

**Emergency Overview**

No serious effects anticipated under normal conditions of use.

**Acute Potential Health Effects**

**Routes of Entry**

Inhalation:

Not applicable under normal conditions of use.

Eyes:

Not applicable under normal conditions of use.

Ingestion:

Not applicable under normal conditions of use.

Skin:

Not applicable under normal conditions of use.

**AGGRAVATED MEDICAL CONDITIONS**

Pre-existing disorders involving any target organs may be aggravated by over-exposure.

**CHRONIC HEALTH EFFECTS**

Contains material that may cause target organ damage. Not applicable for metal solid form.

Eye contact: Get medical attention if any damage to the eye is caused by the metal. Get medical attention if irritation occurs.

Skin contact: Cuts should be treated promptly and covered. In Case of burns with heated material cool affected skin with cold water until medical attention can be obtained.

**SECTION 5 FIRE FIGHTING MEASURES**

Flash point: Not applicable.

Method: Not applicable.

Autoignition: Not applicable.

Lower explosion limit: Not applicable.

Upper explosion limit: Not applicable.

Extinguishing media:

Use a class D dry powder extinguisher. Avoid use of water, foam, halogenated extinguisher agents.

Hazardous combustion: Not available.

**SECTION 3 PRODUCT COMPOSITION**

This is not a hazardous material as defined in the OSHA Hazard Communication Standard 29 CFR 1910.1200.

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

Recycle, if possible. Take care with items that are sharp or heavy. Do not attempt to arrest the flow of molten aluminium with shovels, hand tools or footwear.

**SECTION 4 FIRST AID MEASURES**

No adverse health effects are expected from exposure to this product.

Inhalation: Seek medical attention.

**SECTION 7 HANDLING AND STORAGE**

Take care with items that are sharp or heavy. Use standard techniques to check metal temperature before handling.

# MATERIAL SAFETY DATA SHEET

## VR EdgeGuard, VR DrainGuard, VR StackGuard

### SECTION 8 EXPOSURE CONTROLS

Respiratory protection:  
Recommended, if workers are exposed to concentration above the exposure limit.  
Hand protection:  
Protect hands with strong, cut-resistant gloves use for handling metals.  
Eye protection:  
Wear appropriate eye protection.

### SECTION 9 PHYSICAL & CHEMICAL PROPERTIES

Form: Solid, Metal.  
Color: Silvery Grey.  
Odor: odorless.  
PH: Not available.  
Vapour Pressure: Not available.  
Vapor Density: Not available.  
Melting Point: 1220 °F (660 °C).  
Freezing Point: 1220 °F (660 °C).  
Boiling Point: Not available.  
Water Solubility: Insoluble.  
Specific Gravity: Not available.  
Volatile Weight: Not available.

### SECTION 10 REACTIVITY / STABILITY

Substances to avoid: Not Applicable.  
Stability: Stable.  
Hazardous polymerization: Not Applicable.

### SECTION 11 TOXICOLOGICAL INFORMATION

No health effects are expected.

### SECTION 12 ECOLOGICAL INFORMATION

Not readily biodegradable.

### SECTION 13 DISPOSAL CONSIDERATIONS

Recycle, if possible.  
Incineration in accordance with applicable regulations is the recommended disposal method.

### SECTION 14 TRANSPORTATION / SHIPPING DATA

DOT, TDG, ADR/RID, IMDG and IATA-DGR  
Classification for this product is: Not Regulated.

### SECTION 15 REGULATORY INFORMATION

#### HCS Classification:

Target organ effects.

#### U.S. Federal regulation:

- TSCA 8 IUR Exempt/Partial exemption: Not determined.
- United States inventory: All components are listed or exempted.
- SARA 302/304/311/312 extremely hazardous substances: No products were found.
- SARA 302/304 emergency planning and notification: No products were found.
- SARA 302/304/311/312 hazardous chemicals: Silicon.
- SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Silicon, Fire hazard, Immediate (acute) health hazard.
- Clean Water Act (CWA) 307: Copper, Zinc, Chromium.

#### Clean Air Act Section 112 (HAPs):

Not listed.

#### Clean Air Act 602 Class I & II Substances:

Not listed.

#### DEA List I & II Chemicals:

Not listed.

#### State Regulations:

Massachusetts: Aluminum, Silicon Dust are listed.  
New York: None of the components are listed.  
New Jersey: Aluminum, Silicon are listed.  
Pennsylvania: Aluminum, Silicon are listed.

#### Canada Regulations:

WHMIS: Not controlled.  
Canadian NPRI: Aluminum is listed.  
Canada inventory: All components are listed or exempted.

### SECTION 16 OTHER INFORMATION

#### HMIS Rating:

Health	0
Flammability	0
Reactivity	0
PPE	

0 = Minimum  
1 = Slight  
2 = Moderate  
3 = Serious  
4 = Severe

#### Legend

CERCLA: Comprehensive Emergency Response, Compensation and Liability Act  
DOT: Department of Transportation  
HMIS: Hazardous Materials Identification System  
IARC: International Agency for Research on Cancer  
IATA: International Air Transport Association  
IMDG: International Maritime Dangerous Goods  
OSHA: Occupational Safety and Health Administration  
NTP: National Toxicology Program  
SARA: Superfund Amendment Reauthorization Act  
TSCA: Toxic Substance Control Act  
TDG: Transportation of Dangerous Goods  
WHMIS: Workplace Hazardous Materials Information System

**SECTION 1 PRODUCT & COMPANY IDENTIFICATION**

<b>Product Name</b>	VR FabricLok	<b>Company</b>	Tremco Incorporated
		UNITED STATES	3735 Green Road Beachwood, Ohio, 44122 T: 1.800.562.2728 (8:30 - 5:00 EST)
<b>Emergency Phone</b>	1.800.562.2728 (8:30 - 5:00 EST) After Hours: 1.800.424.9300	CANADA	50 Beth Neelson Drive Toronto, Ontario, M4H 1M6 T: 1.800.668.9879 (8:30 - 5:00 EST)

**SECTION 2 HAZARDS IDENTIFICATION**

**Emergency Overview**

No need for first aid is anticipated.

**Acute Potential Health Effects**

**Routes of Entry**

Inhalation:

No health effects are expected.

Eyes:

No health effects are expected.

Ingestion:

No health effects are expected.

Skin:

No health effects are expected.

**AGGRAVATED MEDICAL CONDITIONS**

Not available.

**CHRONIC HEALTH EFFECTS**

No known effects anticipated.

Inhalation:

No need for first aid is anticipated.

Eye contact:

No need for first aid is anticipated.

Ingestion:

No need for first aid is anticipated.

Skin contact:

No need for first aid is anticipated.

**SECTION 5 FIRE FIGHTING MEASURES**

Flash point:

Not applicable.

Method:

Not applicable.

Autoignition:

Not applicable.

Lower explosion limit:

Not applicable.

Upper explosion limit:

Not applicable.

Extinguishing media:

Use fire extinguishers with class B (e.g., carbon dioxide, dry chemical).

Hazardous combustion:

Not applicable.

**SECTION 3 PRODUCT COMPOSITION**

Not available.

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

Not available.

**SECTION 4 FIRST AID MEASURES**

No need for first aid is anticipated.

**SECTION 7 HANDLING AND STORAGE**

Not applicable.

# MATERIAL SAFETY DATA SHEET

## VR FabricLok



### SECTION 8 EXPOSURE CONTROLS

Respiratory protection:  
Not required under normal conditions of use.  
Hand protection:  
Gloves not normally required.  
Eye protection:  
Avoid eye contact.  
Skin protection:  
Avoid prolonged or repeated skin contact.

### SECTION 9 PHYSICAL & CHEMICAL PROPERTIES

Form: Solid Tape.  
Color: Clear or colored.  
Odor: Minimal odor.  
PH: Not applicable.  
Vapour Pressure: Not applicable.  
Vapor Density: Not applicable.  
Melting Point: Not applicable.  
Freezing Point: Not applicable.  
Boiling Point: Not applicable.  
Water Solubility: Nil.  
Specific Gravity: 0.8-1.2 g/cm<sup>3</sup>.  
Volatile Weight: Not applicable.

### SECTION 10 REACTIVITY / STABILITY

Substances to avoid: None known.  
Stability: Stable.  
Hazardous polymerization: Will not Occur.

### SECTION 11 TOXICOLOGICAL INFORMATION

No Data Available.

### SECTION 12 ECOLOGICAL INFORMATION

No Data Available.

### SECTION 13 DISPOSAL CONSIDERATIONS

Reclaim if feasible. If product can't be reclaimed, dispose of waste product in a sanitary landfill. Alternatively, incinerate the waste product in an industrial, commercial, or municipal incinerator.

### SECTION 14 TRANSPORTATION / SHIPPING DATA

Not regulated per U.S. DOT, IATA or IMO.

### SECTION 15 REGULATORY INFORMATION

This product is an article as defined by TSCA regulations, and is exempt from TSCA Inventory listing requirements.

#### 311/312 Hazard Categories:

Fire Hazard: No products were found.  
Pressure Hazard: No products were found.  
Reactivity Hazard: No products were found.  
Immediate Hazard: No products were found.  
Delayed Hazard: No products were found.

### SECTION 16 OTHER INFORMATION

#### HMIS Rating:

Health	0
Flammability	1
Reactivity	0
PPE	

0 = Minimum  
1 = Slight  
2 = Moderate  
3 = Serious  
4 = Severe

#### Legend

CERCLA: Comprehensive Emergency Response, Compensation and Liability Act  
DOT - Department of Transportation  
HMIS: Hazardous Materials Identification System  
OSHA: Occupational Safety and Health Administration  
SARA: Superfund Amendment Reauthorization Act  
TSCA - Toxic Substances Control Act  
WHMIS - Workplace Hazardous Materials Information System

**SECTION 1 PRODUCT & COMPANY IDENTIFICATION**

<b>Product Name</b>	VR TecTape	<b>Company</b>	Tremco Incorporated
		<b>UNITED STATES</b>	3735 Green Road Beachwood, Ohio, 44122 T: 1.800.562.2728 (8:30 - 5:00 EST)
<b>Emergency Phone</b>	1.800.562.2728 (8:30 - 5:00 EST) After Hours: 1.800.424.9300	<b>CANADA</b>	50 Beth Neelson Drive Toronto, Ontario, M4H 1M6 T: 1.800.668.9879 (8:30 - 5:00 EST)

**SECTION 2 HAZARDS IDENTIFICATION**

**Emergency Overview**

No need for first aid is anticipated.

**Acute Potential Health Effects**

**Routes of Entry**

Inhalation:

No need for first aid is anticipated.

Eyes:

No need for first aid is anticipated.

Ingestion:

No need for first aid is anticipated.

Skin:

No need for first aid is anticipated.

**AGGRAVATED MEDICAL CONDITIONS**

There are no known medical conditions aggravated by exposure to this product.

**CHRONIC HEALTH EFFECTS**

No known effects anticipated.

Inhalation:

No need for first aid is anticipated.

Eye contact:

No need for first aid is anticipated.

Ingestion:

No need for first aid is anticipated.

Skin contact:

No need for first aid is anticipated.

**SECTION 5 FIRE FIGHTING MEASURES**

Flash point:

Not applicable.

Method:

Not applicable.

Autoignition:

Not applicable.

Lower explosion limit:

Not applicable.

Upper explosion limit:

Not applicable.

Extinguishing media:

Use fire extinguishers with class B (e.g., carbon dioxide, dry chemical).

Hazardous combustion:

Not applicable.

**SECTION 3 PRODUCT COMPOSITION**

Not available.

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

Not available.

**SECTION 4 FIRST AID MEASURES**

No need for first aid is anticipated.

**SECTION 7 HANDLING AND STORAGE**

Not available.

# MATERIAL SAFETY DATA SHEET

## VR TecTape



### SECTION 8 EXPOSURE CONTROLS

Respiratory protection:  
Not required under normal conditions of use.  
Hand protection:  
Gloves not normally required.  
Eye protection:  
Avoid eye contact.  
Skin protection:  
Avoid prolonged or repeated skin contact.

### SECTION 9 PHYSICAL & CHEMICAL PROPERTIES

Form: Solid Tape.  
Color: Tan.  
Odor: Not available.  
PH: Not available.  
Vapour Pressure: Not available.  
Vapor Density: Not available.  
Melting Point: Not available.  
Freezing Point: Not available.  
Boiling Point: Not available.  
Water Solubility: Insoluble in Water.  
Specific Gravity: Not available.  
Volatile Weight: Not available.

### SECTION 10 REACTIVITY / STABILITY

Substances to avoid: None known.  
Stability: Stable.  
Hazardous polymerization: Will not Occur.

### SECTION 11 TOXICOLOGICAL INFORMATION

No health effects are expected.

### SECTION 12 ECOLOGICAL INFORMATION

No Data Available.

### SECTION 13 DISPOSAL CONSIDERATIONS

No Data Available.

### SECTION 14 TRANSPORTATION / SHIPPING DATA

TDG, U.S. DOT, IATA or IMO Classification for this product is: Not Regulated.

### SECTION 15 REGULATORY INFORMATION

#### WHMIS Classification:

Exempt  
This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

#### Product Certifications:

This product is considered to be a manufactured article and therefore the Canadian Inventory listing is not applicable.

This product is an article as defined by TSCA regulations, and is exempt from TSCA Inventory listing requirements.

### SECTION 16 OTHER INFORMATION

#### HMIS Rating:

Health	N/A
Flammability	N/A
Reactivity	N/A
PPE	

0 = Minimum  
1 = Slight  
2 = Moderate  
3 = Serious  
4 = Severe

#### Legend

CERCLA: Comprehensive Emergency Response, Compensation and Liability Act  
DOT - Department of Transportation  
HMIS: Hazardous Materials Identification System  
OSHA: Occupational Safety and Health Administration  
SARA: Superfund Amendment Reauthorization Act  
TSCA - Toxic Substances Control Act  
WHMIS - Workplace Hazardous Materials Information System